# Safety Data Sheet DATE PREPARED 5 / 5 /2015

6255 COBALT CHROMITE GREEN SPINEL

HMIS Classification:	
Health	2*
Flammability	0
Reactivity	0
Personal Protection	See Section 8



MANUFACTURERS OF CERAMIC COLORS

#### 1.1 Product identifier Product name

COBALT CHROMITE GREEN SPINEL

Cobalt Chromite Green Spinel, an inorganic pigment, is a reaction product of high temperature calcination in which Cobalt (II) Oxide and Chromium (III) Oxide in

varying amounts are homogeneously and ionically interdiffused to form a crystalline matrix of spinel.

Its composition may include any one or a combination of the modifiers Al2O3, B2O3, CaO, MgO, PbO, SiO2, TiO2, ZnO, or ZrO2

Product number	6255 JADE
EC no.	269-101-7
CAS no.	68187-49-5
Index no.	C.I. 77344

### 1.4 Supplier's details

Name	Mason Color Works Inc.
Address	250 East Second Street
	East Livepool, Ohio 43920
	USA
Telephone	330 385 4400

## SECTION 2: Hazard identification

Fax

Classification of the substance or mixture GHS classification in accordance with OSHA (29 CFR 1910.1200)	Not a hazardous substance or mixture.
GHS label elements, including precautionary statements	Not a hazardous substance or mixture.
Other hazards which do not result in classification	Not a hazardous substance or mixture.

330 385 4488



### **SECTION 3: Composition/information on ingredients**

COBALT CHROMITE GREEN SPINEL	PIGMENT GREEN 26	100%
EC no.	269-101-7	
CAS no.	68187-49-5	
Index no.	C.I. 77344	
Formula	CoCr2O4	
SECTION 4: First-aid measures		
•Contact with skin:	Wash with plenty of water and	soap.
•Contact with eyes:	Wash immediately with water	for at least 10 minutes.
•Swallowing:	Induce vomiting. SEEK A MEDIC	AL EXAMINATION IMMEDIATELY and present the safety-data sheet.
	A suspension of activated chard	coal in water, or liquid paraffin may be administered.
•Inhalation:	Ventilate the premises.	
	The patient is to be removed im	mediately from the contaminated premises and made to rest in a well ventilated area.
	Should the patient feel unwell,	OBTAIN MEDICAL ATTENTION

## **SECTION 5: Fire-fighting measures**

<ul> <li>Recommended extinguishers:</li> </ul>	Water, CO2, Foam, Chemical powders, according to the materials involved in the fire.
•Extinguishers not to be used:	None in particular.
<ul> <li>Risks arising from combustion:</li> </ul>	Avoid inhaling the fumes.
•Protective equipment:	Use protection for the respiratory tract.

## **SECTION 6: Accidental release measures**

<ul> <li>Measures for personal safety:</li> </ul>	Use gloves and protective clothing. In the event of particulates aerosols use respiratory protection.
•Environmental measures: .	Keep away from drains, surface- and ground-water and soil
•Cleaning methods:	Limit leakages with earth or sand. If the product has escaped into a water
	course, into the drainage system, or has contaminated the ground or vegetation, notify the competent authorities.
	Remove the waste materials with a suitable device (for instance a suction pump) and dispose.
	After the product has been recovered, rinse the area and materials involved with water.

## **SECTION 7: Handling and storage**

Decomposition temperature

Explosive properties

Oxidizing properties

Viscosity

<ul> <li>Handling precautions:</li> </ul>	Wear suitable gloves, glasses and face protection. Avoid contact and inhalation of the vapours/powders.
	Do not eat or drink while working.
<ul> <li>Incompatible materials:</li> </ul>	None in particular.
•Storage conditions:	Always keep the containers tightly closed.
<ul> <li>Instructions as regards storage premises:</li> </ul>	Adequately ventilated premises.

### SECTION 8: Exposure controls / personal protection

Section 0. Exposure controls / per	sonal protection			
		ACGIH-TLVs	OSHA PELs	NOISHA RELs
Chromium (III) Compounds (as Cr)		0.5 mg/m <sup>3</sup>	0.5 mg/m <sup>3</sup>	0.5 mg/m <sup>3</sup>
Cobalt, Metal, Dust & Fume (as Co)		0.02 mg/m <sup>3</sup>	0.5 mg/m <sup>3</sup>	N/A
Zinc oxide(as Zn) (Total Dust)		10 mg/m <sup>3</sup>	10 mg/m <sup>3</sup> (total)	5 mg/m <sup>3</sup>
			5 mg/m <sup>3</sup> (respirable)	
<ul> <li>Precautionary measures:</li> </ul>	Give adequate ventila	tion to the premises wher	e the product is stored and/o	or handled.
<ul> <li>Respiratory protection:</li> </ul>	Use suitable respirato	ory protection.		
<ul> <li>Protection for hands:</li> </ul>	Not needed for norma	al use.		
•Eye protection:	Not needed for norma	il use.		
<ul> <li>Protection for skin:</li> </ul>	•Protection for skin: No special precaution must be adopted for normal use.			
SECTION 9: Physical and chemical properties				
Appearance/form	GREEN BLUE/POWDER	R		
Odor	None			
SPECIFIC GRAVITY	4.96			
pH	6.6			
Melting point/freezing point	<1000 C			
Initial boiling point and boiling range	NA			
Flash point	NA			
Evaporation rate	NA			
Flammability (solid, gas)	none			
Upper/lower flammability limits	NA			
Upper/lower explosive limits	NA			
Vapor pressure	NA			
Vapor density	NA			
Relative density	NA			
Solubility(ies)	insoluble			
Partition coefficient: n-octanol/water	NA			
Auto-ignition temperature	NA			

NA

NA

none

none

# SECTION 10: Stability and reactivity

Chemical stability	STABLE
Possibility of hazardous reactions	WILL NOT OCCUR
Incompatible materials	NONE
Hazardous decomposition products	N/A

### **SECTION 11: Toxicological information**

LD50 (male rats) > 10000 mg/kg
LC50 (rats; 4 hours) > 5.05 mg/L air (actual concentration)
N/A

THIS PIGMENT IS NOT LISTED IN THE NATIONAL TOXICOLOGY PROGRAM (NTP) REPORT ON CARCINOGENS. IT IS NOT LISTED AS A POTENTIAL CARCINOGEN IN THE INTERNATIONAL AGENCY FOR RESEARCH ON CANCER(IARC) MONOGRAPHS. IT IS NOT FOUND TO BE A CARCINOGEN BY THE OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION(OSHA)

### SECTION 12: Ecological information

ECOTOXICITY	NO DATA
DEGRADABILITY	NO DATA
MOBILITY	NO DATA
BIOACCUMULATIVE	NO DATA

## **SECTION 13: Disposal considerations**

Disposal of the product	Contain spillage and scoop or vacuum. Avoid making dust put in appropriate container for disposal. Waste disposal method in accordance with Federal, State and Local Laws.
Disposal of contaminated packaging	Dispose of as unused product.
Waste treatment	MUST BE PROCESSED THROUGH IN-HOUSE TREATMENT
Sewage disposal	AVOID CITY DRAINS

### **SECTION 14: Transport information**

14.1 UN Number	None
14.2 UN Proper Shipping Name	
14.3 Transport hazard class(es)	None
14.4 Packing group	None
14.5 Environmental hazards	None
14.6 Special precautions for user	None
14.7 Transport in bulk according to Annex II of	None
MARPOL 73/78 and the IBC Code	

### **SECTION 15: Regulatory information**

### Attention all Retailers of Mason Stains

ALL retailers of this product are REQUIRED by law to supply their customers with a copy of material safety data sheet with initial purchase.

\*\*\*SARA 313

This product contains certain oxides and compounds which are subject to reporting requirements of Superfund Amendment and Reauthorization Act (SARA) of 1986, Section 313 of the Emergency Planning and Community Right to Know Act and of 40 CRF, Part 372.

The information contained in this MSDS must be provided to every employee who is exposed to this product in any way. We recommend the user reads and understands the contents herein before using this material.

PLEASE KEEP ON FILE FOR FUTURE REFERENCE. DO NOT THROW AWAY! MSDS'S ARE REQUIRED FOR FIRST SHIPMENT, AND WILL BE SENT AGAIN WHEN REVISED UPON YOUR NEXT ORDER OF PRODUCT OR BY REQUEST.

Disclamer

#### SECTION 16: REFERENCE INFORMATION

CPMA CLASSIFICATION AND CHEMICAL DESCRIPTIONS OF THE COMPLEX INORGANIC COLOR PIGMENTS Fourth Edition - January 2013 Update

https://www.osha.gov/index.html

http://chem.sis.nlm.nih.gov/chemidplus

13th Report on Carcinogens on October 2, 2014. http://monographs.iarc.fr/ENG/Classification/index.php