## Safety Data Sheet

DATE PREPARED 4/28/2015

#### UPDATED 1/12/2017

C'Histon .

6330 COBALT ALUMINATE BLUE SPINEL

HMIS Classification:	
Health	2*
Flammability	0
Reactivity	0
Personal Protection	See Section 8



MANUFACTURERS OF CERAMIC COLORS

1.1	Product identifier
	Product name

COBALT ALUMINATE BLUE SPINEL

East Livepool, Ohio 43920

Cobalt Aluminate Blue Spinel, an inorganic pigment, is a reaction product of high temperature calcination in which Cobalt (II) Oxide, and Aluminum (III) Oxide in

varying amounts are homogeneously and ionically interdiffused to form a crystalline matrix of spinel.


Its composition may include any o	one or a combination of the modifiers Li2O, MgO, SiO2, TiO2, or ZnO
Product number	6330 COBALT ALUMINATE
EC no.	310-193-6
CAS no.	1345-16-0
Index no. C.I. 77346	
1.4 Supplier's details	
Name	Mason Color Works Inc.
Address	250 East Second Street

	USA
Telephone	330 385 4400
Fax	330 385 4488

#### **SECTION 2: Hazard identification**

#### Signal Word: WARNING

GHS classification in accordance with OSHA (29 CFR 1910.1200) H303: May be harmful if swallowed H313: May be harmful in contact with skin H317: May cause an allergic skin reaction H333: May be harmful if inhaled H335: May cause respiratory





### **SECTION 3: Composition/information on ingredients**

6330	COBALT ALUMINAT	E BLUE SPINEL	C.I. Pigment Blue 28	100%
	EC no.	310-193-6		
	CAS no.	1345-16-0		
	Index no.	C.I. 77346		
	Formula	CoAl2O4		
SECTION	4: First-aid measur	es		
•Contact w	ith skin:	Wash with plenty o	Wash with plenty of water and soap.	
•Contact w	ith eyes:	Wash immediately	Wash immediately with water for at least 10 minutes.	
•Swallowin	g:	SEEK A MEDICAL EX	SEEK A MEDICAL EXAMINATION IMMEDIATELY and present the safety-data sheet.	
		A suspension of ac	A suspension of activated charcoal in water, or liquid paraffin may be administered.	
<ul> <li>Inhalatio</li> </ul>	n:	Ventilate the prem	ises.	
		The patient is to be	removed immediately from the co	ontaminated premises and made to rest in a well ventilated area.
		Should the patient	feel unwell, OBTAIN MEDICAL ATT	ENTION

# SECTION 5: Fire-fighting measures

<ul> <li>Recommended extinguishers:</li> </ul>	Water, CO2, Foam, Chemical powders, according to the materials involved in the fire.
•Extinguishers not to be used:	None in particular.
<ul> <li>Risks arising from combustion:</li> </ul>	Avoid inhaling the fumes.
•Protective equipment:	Use protection for the respiratory tract.

## **SECTION 6: Accidental release measures**

gloves and protective clothing. In the event of particulates aerosols use respiratory protection.	
Keep away from drains, surface- and ground-water and soil	
nit leakages with earth or sand. If the product has escaped into a water	
se, into the drainage system, or has contaminated the ground or vegetation, notify the competent authorities.	
nove the waste materials with a suitable device (for instance a suction pump) and dispose.	
r the product has been recovered, rinse the area and materials involved with water.	
2	

## **SECTION 7: Handling and storage**

•Handling precautions:	Wear suitable gloves, glasses and face protection. Avoid contact and inhalation of the vapours/powders.
	Do not eat or drink while working.
Incompatible materials:	None in particular.
•Storage conditions:	Always keep the containers tightly closed.
<ul> <li>Instructions as regards storage premises:</li> </ul>	Adequately ventilated premises.

## SECTION 8: Exposure controls / personal protection

	ACGIH-TLVs	OSHA PELs	NOISHA RELS	% as metal	% as Oxide
Cobalt, Metal, Dust & Fume (as Co)	0.02 mg/m <sup>3</sup>	0.5 mg/m <sup>3</sup>	N/A	41	52
Aluminum (as Al), Metal (Total Dust)	10 mg/mg <sup>3</sup> (total)	15 mg/m <sup>3</sup> (total)	N/A	25	48
		5 mg/m <sup>3</sup> (respirable)			
<ul> <li>Precautionary measures:</li> </ul>	Give adequate ventilation to the premises when	re the product is stored and	/or handled.		
•Respiratory protection:	Use suitable respiratory protection.				
<ul> <li>Protection for hands:</li> </ul>	Not needed for normal use.				
•Eye protection:	Not needed for normal use.				

•Protection for skin: No special precaution must be adopted for normal use.

## **SECTION 9: Physical and chemical properties**

Appearance/form	Blue/Powder
Odor	None
SPECIFIC GRAVITY	4.26
рН	6.6
Melting point/freezing point	>1000 C
Initial boiling point and boiling range	NA
Flash point	NA
Evaporation rate	NA
Flammability (solid, gas)	none
Upper/lower flammability limits	NA
Upper/lower explosive limits	NA
Vapor pressure	NA
Vapor density	NA
Relative density	NA
Solubility(ies)	insoluble
Partition coefficient: n-octanol/water	NA
Auto-ignition temperature	NA
Decomposition temperature	NA
Viscosity	NA
Explosive properties	none
Oxidizing properties	none

## **SECTION 10: Stability and reactivity**

Chemical stability	STABLE
Possibility of hazardous reactions	WILL NOT OCCUR
Incompatible materials	NONE
Hazardous decomposition products	N/A

## **SECTION 11: Toxicological information**

ORAL	LD50 (male rats) > 10000 mg/kg
INHALATION	LC50 (rats; 4 hours) > >5.06 mg/L air
SKIN	N/A
NON IRRITATING TO THE SKIN	
NON IRRITATING TO THE EYES	

THIS PIGMENT IS NOT LISTED IN THE NATIONAL TOXICOLOGY PROGRAM (NTP) REPORT ON CARCINOGENS. IT IS NOT LISTED AS A POTENTIAL CARCINOGEN IN THE INTERNATIONAL AGENCY FOR RESEARCH ON CANCER(IARC) MONOGRAPHS. IT IS NOT FOUND TO BE A CARCINOGEN BY THE OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION(OSHA)

### **SECTION 12: Ecological information**

ECOTOXICITY	NO DATA
DEGRADABILITY	NO DATA
MOBILITY	NO DATA
BIOACCUMULATIVE	NO DATA

## **SECTION 13: Disposal considerations**

Disposal of the product	Contain spillage and scoop or vacuum. Avoid making dust	
	put in appropriate container for disposal. Waste disposal method in accordance with	
	Federal, State and Local Laws.	
Disposal of contaminated packaging	Dispose of as unused product.	
Waste treatment	MUST BE PROCESSED THROUGH IN-HOUSE TREATMENT	
Sewage disposal	AVOID CITY DRAINS	

### **SECTION 14: Transport information**

14.1 UN Number	None
14.2 UN Proper Shipping Name	None
14.3 Transport hazard class(es)	None
14.4 Packing group	None
14.5 Environmental hazards	None
14.6 Special precautions for user	None
14.7 Transport in bulk according to Annex II of	None
MARPOL 73/78 and the IBC Code	

14.8 Goods are not regulated for transport by International Air Transport Association (IATA)

#### **SECTION 15: Regulatory information**

#### Attention all Retailers of Mason Stains

ALL retailers of this product are REQUIRED by law to supply their customers with a copy of material safety data sheet with initial purchase.

#### \*\*\*SARA 313

This product contains certain oxides and compounds which are subject to reporting requirements of Superfund Amendment and Reauthorization Act (**SARA**) of 1986, Section 313 of the Emergency Planning and Community Right to Know Act and of 40 CRF, Part 372.

The information contained in this MSDS must be provided to every employee who is exposed to this product in any way. We recommend the user reads and understands the contents herein before using this material.

PLEASE KEEP ON FILE FOR FUTURE REFERENCE. DO NOT THROW AWAY! MSDS'S ARE REQUIRED FOR FIRST SHIPMENT, AND WILL BE SENT AGAIN WHEN REVISED UPON YOUR NEXT ORDER OF PRODUCT OR BY REQUEST.

Disclamer

#### SECTION 16: REFERENCE INFORMATION

CPMA CLASSIFICATION AND CHEMICAL DESCRIPTIONS OF THE COMPLEX INORGANIC COLOR PIGMENTS Fourth Edition - January 2013 Update

https://www.osha.gov/index.html

http://chem.sis.nlm.nih.gov/chemidplus

13th Report on Carcinogens on October 2, 2014. http://monographs.iarc.fr/ENG/Classification/index.php